

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	1874	(backup or archiv\$3 ) near database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50
L9	78	L8 and ((recover\$4 or recop\$3) with (automatic\$5 or manual\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50
L10	7	L9 and (707/202).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50
L11	3	L9 and (707/200).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50
L12	3	L9 and (707/203).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50
L13	13	L9 and (707/204).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50
L14	12	13 and @ad<"20020129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:51
L15	3	12 and @ad<"20020129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:52


L16	52	9 and @ad<"20020129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:53
L17	12	16 and (automatic\$4 with program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:53
L18	7	16 and (automatic\$4 with initiat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:53
S1	0	"059511".apn.	USPAT	OR	OFF	2004/12/16 11:16
S2	1	"059511".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:59
S3	1	("6131087").PN.	USPAT	OR	OFF	2004/12/16 11:31
S4	0	("20010049615").PN.	USPAT	OR	OFF	2004/12/16 11:32
S5	2	("20010049615").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:47
S6	2	("20010047276").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 11:47
S7	43561	(exchange with (suppl\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:00
S8	388	S7 and (match\$3 with product\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:01

S9	111	S8 and (catalog with suppli\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:02
S10	1	S9 and (build\$4 with tool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:03
S11	101	S9 and (build\$4 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:03
S12	98	S11 and buy\$4 and sell\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:04
S13	96	S12 and @ad<"20020129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:51
S14	0	S13 and (exchange with catalog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:05
S15	0	S13 and (exchange with categor\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:05
S16	96	S13 and (exchange with product\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:28

S17	1	S16 and fulfill\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:41
S18	0	S16 and (search\$ with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:42
S19	95	S16 and (integrat\$ with solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:42
S20	1	S16 and (integrat\$ adj solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:43
S21	1	S16 and (search\$3 with catalog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:43
S22	2	"5555371".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:21
S23	2	"6505216".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:35
S24	2	"6085298".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:56

S25	1874	(backup or archiv\$3 ) near database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:36
S26	115	S25 and ((recover\$4 or recop\$3) with file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:36
S27	78	S25 and ((recover\$4 or recop\$3) with (automatic\$5 or manual\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:37
S28	23	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:39
S29	15	S28 and @ad<"20001227"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:40
S30	10	S29 and (miss\$3 or corrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:51
S31	8	S29 and (miss\$3 or corrupt\$3) and asynchronous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:51
S32	8	S31 and (simultaneous\$2 or parallel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 19:50

S33	0	S31 and (asynchronous\$2 with (simultaneous\$2 or parallel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 16:52
-----	---	---	---	----	-----	------------------



**Web** Results 1 - 10 of about 11 for automatic recovery initiate asynchronous database stream"arc

### Log Apply Services

... and reporting activities **simultaneously** to the logical standby **database**. ...  
 If **asynchronous** I/O is supported, the **recovery** time may be only slightly ...  
[www.lc.leidenuniv.nl/awcourse/oracle/server.920/a96653/standbyreco.htm](http://www.lc.leidenuniv.nl/awcourse/oracle/server.920/a96653/standbyreco.htm) - 133k -  
Cached - Similar pages

### Oracle8i New Features

... for determining how to **initiate recovery** for restoring the **database** to a ...  
 even while **archive logs** are being copied from the primary **database** site. ...  
[lbd.epfl.ch/f/teaching/courses/oracle8i/server.815/a68020/ch2.htm](http://lbd.epfl.ch/f/teaching/courses/oracle8i/server.815/a68020/ch2.htm) - 284k - Cached - Similar pages

### [PDF] Application Recovery Tool

File Format: PDF/Adobe Acrobat - View as HTML  
 ... 7-13 DB2 **recovery** job **stream** generated by ART DRMRECOV . ... You can **initiate recovery** using one. of followings:.. The **database recovery** (DFSURDB0) ...  
[www.redbooks.ibm.com/redbooks/pdfs/sg246837.pdf](http://www.redbooks.ibm.com/redbooks/pdfs/sg246837.pdf) - Similar pages

### [doc] SECTION 1

File Format: Microsoft Word 97 - View as HTML  
 ... Audit  This function initiates services to maintain/**archive logs**. ...  
 operate concurrently and **simultaneously** but are **asynchronous** in nature. ...  
[www.sdrforum.org/MTGS/mtg\\_20\\_sep00/christensen\\_sys\\_cont\\_9\\_05.doc](http://www.sdrforum.org/MTGS/mtg_20_sep00/christensen_sys_cont_9_05.doc) - Similar pages

### [PDF] Enterprise DBA Part 1B: Backup and Recovery Workshop

File Format: PDF/Adobe Acrobat - View as HTML  
 ... In on-demand block level **recovery**, user transactions **initiate** rollback ...  
 This allows for **automatic recovery** of transactions in the event of a **database** ...  
[www.laiwu.lm.molss.gov.cn/ORACLE%208I官方教材/Backup%20and%20Recovery%20\(Vol1\)%20Student%20Guide.pdf](http://www.laiwu.lm.molss.gov.cn/ORACLE%208I官方教材/Backup%20and%20Recovery%20(Vol1)%20Student%20Guide.pdf) - Similar pages

### Glossary of Terms


... that cannot be resolved by **recovery** facilities while the task is executing  
 ... batches daily, the **archive logs** are shipped as they are created. ...  
[www.isaca.org/glossary.htm](http://www.isaca.org/glossary.htm) - 263k - Cached - Similar pages

### Item of MQSER-L DBNAMES

... monitor resources and execute event driven **automatic recovery** actions. ...  
 one would have to keep lots of **archive LOGs** to assure queue manager **recovery**? ...  
[www.sjg-enterpriseintegration.com/websphere%20mq%20listserver%209707.asp](http://www.sjg-enterpriseintegration.com/websphere%20mq%20listserver%209707.asp) - 513k -  
Cached - Similar pages

### [PDF] Oracle8

File Format: PDF/Adobe Acrobat - View as HTML  
 ... This is important for determining how to **initiate recovery** for ... **archive logs**  
 are being copied from the primary **database** site. ...



## Web

Tip: Try removing quotes from your search to get more results.

Your search - **automatic recovery "without initiate" asynchronous database stream"archive logs" simultaneously** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[www.csee.umbc.edu/help/oracle8/server.815/a68020.pdf](http://www.csee.umbc.edu/help/oracle8/server.815/a68020.pdf) - [Similar pages](#)

[doc] [Oracle 9i New Features for Administrators](#)

File Format: Microsoft Word 2000 - [View as HTML](#)

... example, or perhaps perform some **automatic** fixit-type of ... Configure retention policy to **recovery** window of 5 ... Default Devices: For automated backups, you can ...

[www.geocities.com/lydian\\_third/books/9inf.doc](http://www.geocities.com/lydian_third/books/9inf.doc) - Supplemental Result - [Similar pages](#)

[PDF] [patchNB\\_34\\_4.ONLINE\\_README\\_NB-CLIENT\\_3.4GA/3.4.1GA/3.4 ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... themselves, we do not need to **initiate** cleaning ... For Windows, this is volmgr\database\NO\_TAPEALERT ... are configured as cleaning slots for **automatic** robotic cleaning ...

[myhome.spu.edu/prand/stuff/unix/NB\\_34\\_4/250018.pdf](http://myhome.spu.edu/prand/stuff/unix/NB_34_4/250018.pdf) - Supplemental Result - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.*

*If you like, you can [repeat the search with the omitted results included](#).*

Free! Google Desktop Search: Search your own computer. [Download now](#).

**Find:**  emails -  files -  chats -  web history -  media -  PDF

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google